



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE

United States Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/800,008	03/15/2004	Noriya Hayashi	080542-0166	6818
22428 7590 06/21/2011 FOLEY AND LARDNER LLP SUITE 500 3000 K STREET NW WASHINGTON, DC 20007				
EXAMINER LEONARD, MICHAEL L.				
ART UNIT		PAPER NUMBER		
1763				
MAIL DATE		DELIVERY MODE		
06/21/2011		PAPER		

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

### Office Action Summary

**Application No.**

10/800,008

**Applicant(s)**

HAYASHI ET AL.

**Examiner**

MICHAEL L. LEONARD

**Art Unit**

1763

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --  
**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 16 May 2011.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 4-7, 9, 10, 12 and 16-18 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 4-7, 9, 10, 12 and 16-18 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftperson's Patent Drawing Review (PTO-940)
- 3) ☐ Information Disclosure Statement(s) (PTO/SB-08)  
Paper No(s)/Mail Date \_\_\_\_\_
- 4) ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date \_\_\_\_\_
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: \_\_\_\_\_

## **DETAILED ACTION**

### ***Continued Examination Under 37 CFR 1.114***

A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 05/16/2011 has been entered.

The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

### ***Claim Rejections - 35 USC § 103***

Claims 4-7, 10, 12, and 16-18 are rejected under 35 U.S.C. 103(a) as being unpatentable over WO-0216482 to Joshi et al. (U.S. Patent Pub No. 2003/0176561 will be cited below), in view of U.S. Patent No. 5,071,613 to Fukami and U.S. Patent No. 5,032,622 to Herrington et al.

As to claim 4, Joshi discloses a process for the preparation of fiber reinforced composites in which the matrix polymer is derived from the catalyzed reaction of a liquid polyisocyanate containing material, the principle curing mechanism is the formation of urethane and/or isocyanurate linkages (Abstract). Joshi further discloses that the polyisocyanate component contains bifunctional and trifunctional MDI-components

(0030-0037) that are liquid at room temperature (0012, 0026-0027) and the reaction product of the MDI-components with polyols. Joshi discloses that the preferred polyols are polyether and/or polyester based nominal diols that have hydroxy equivalent weights of from about 50 to about 2000 as well as short chain diols (0028, See Examples 14-15). Joshi further discloses a ainal MDI formulation wherein the base MDI is present from 50 to 95% by weight and the polyols are present from 5 to 50% by weight (0039-0040).

Joshi differs from the claims somewhat because the preferred molecular weight of the polyol component is 2000 g/mol, which sits outside of the claimed range and Joshi fails to disclose the claimed T<sub>g</sub>.

However, Fukami discloses shape memory polyurethane that is prepared from polyisocyanates and polyols selected from various low molecular weight polyols, such as polyether and polyester polyols (Column 2, lines 47-50). Fukami further discloses that the polyol can be used with a hydroxyl value within the range of 300 to 800, and in this case if the hydroxyl value is smaller than 300 (larger molecular weight), the necessary rigidity for construction material can not be obtained, while if it is larger than 800, impact resistance tends to be inferior, and also the reaction is too fast even without the use of catalyst, whereby penetration into fibrous reinforcing material tends to become undesirably difficult (Column 3, lines 19-27). The selection of the polyol component is a result effective variable.

Therefore, a person of ordinary skill in the art would have selected lower molecular weight in the ranges disclosed by Fukami in order to arrive at shape memory

polymers with the above mentioned physical properties. Furthermore, it would have been obvious to arrive at the claimed "molecular weight" limitation since it has been held that discovering an optimum value of a result effective variable only involves routine skill in the art. *In re Boesch*, 617 F.2d 272, 205 USPQ 215 (CCPA 1980).

Also, it is well settled that where prior art describes components of a claimed compound or compositions in concentrations within or overlapping the claimed concentrations a prima facie case of obviousness is established. See MPEP 2144.05. *In re Harris*, 409, F.3d 1339, 1343, 74 USPQ2d 1951, 1953 (Fed. Cir 2005); *In re Peterson*, 315 F.3d 1325, 1329, 65 USPQ 3d 1379, 1382 (Fed. Cir 1997); *In re Woodruff*, 919 F.2d 1575, 1578, 16 USPQ 2d, 1934, 1936-37 (CCPA 1990); *In re Malagari*, 499 F.2d 1297, 1303, 182 USPQ 549, 553 (CCPA 1974). In light of the cited patent case law, it would therefore have been obvious that in this particular instance to use a lower molecular weight polyol to find the appropriate balance between rigidity, impact resistance, and reaction speed as discussed above in light of Fukami.

Herrington also teaches cured thermoset shape memory polyurethane that is the reaction product of di and tri-functional polyisocyanate and di and tri-functional polyol. The glass transition temperature of the polyurethane may extend to 120°C, wherein said T<sub>g</sub> is controlled by the selection of reactant (Column 3, lines 4-10 and 49-51).

Therefore, it would have been obvious to use a polyurethane in Joshi having a T<sub>g</sub> that coincides with applicants' claimed range because it is disclosed as being suitable for analogous thermoset, shape memory polyurethane, and a reasonable expectation of success has been established in arriving at said T<sub>g</sub> since Herrington et al

teach how it is controlled. Furthermore, one would be motivated to raise the Tg to temperatures of 120°C since it would prevent unwanted deformation at elevated temperatures, i.e. 80°C.

As to claims 5 and 12, as previously discussed Joshi discloses fiber reinforced thermoset, shape memory polyurethane, but fails to teach how much fiber reinforcement is present in said polyurethane. Nevertheless, one of ordinary skill would understand that the content of fiber reinforcement impacts the mechanical resiliency of the resulting polyurethane, i.e. the fiber content is a result effective variable. Therefore, it would have been obvious to arrive at applicants' claimed range since it has been held that discovering an optimum value of a result effective variable only involves routine skill in the art. *In re Boesch*, 617 F.2d 272, 205 USPQ 215 (CCPA 1980).

As to claim 6, Joshi discloses that the isocyanate (isocyanate and polyol composition) is kept at room temperature and the fibers are supplied to the isocyanate materials under conditions that prevent undesired reaction of the isocyanate material, preferably the fibers are treated so that they are substantially wetted by the isocyanate material. After treating the fibers the fibers are removed from the isocyanate material and treated with a suitable catalyst that will cause reaction of the isocyanate to form a polyurethane material. Therefore, even though Joshi fails to disclose the potlife of the polyurethane material a person of ordinary skill in the art could routinely work with the isocyanate and isocyanate-reactive components to arrive at the claimed potlife in order to completely ensure the complete wetting of the fibers without undesired reaction of the isocyanate material as evidenced by Joshi (0018).

Furthermore, Joshi discloses keeping the catalyst separate and that the isocyanate final composition (polyol and isocyanate) is preferably a stable liquid at 25°C and has a viscosity less than 1000 cps but greater than 100 cps at 25 °C (0042). Joshi further discloses that the isocyanate containing material is preferably liquid and has gel times ranging from 30 minutes to several hours (0158).

As to claims 7 and 10, Herrington teaches it is preferred to use polyol consisting of 98 equivalent percent of propylene oxide since it results in superior shape memory thermosets (Column 3, lines 49-53). Thus, it would have been obvious to arrive at applicants' claimed range since it is disclosed by Herrington et al. as being preferred polyol composition in analogous thermoset shape polyurethane and Joshi teaches polypropylene glycol as a suitable polyol.

As to claim 16, Joshi discloses that the application of the invention can be further extended to resin transfer molding (RTM) and its related processes such as vacuum assisted RTM (0062).

As to claim 17-18, Joshi, Fukami, and Herrington disclose polyols having low molecular weights and it would have been obvious to arrive at the claims Tg range because the Tg is controlled by the selection of reactant (See Herrington, Column 3, lines 4-10 and 49-51).

Claim 9 is rejected under 35 U.S.C. 103(a) as being unpatentable over WO-0216482 to Joshi et al. (U.S. Patent Pub No. 2003/0176561 will be cited below). in view

of U.S. Patent No. 5,071,613 to Fukami and U.S. Patent No. 5,032,622 to Herrington et al. and U.S. Patent No. 4,738,999 to Blenner et al.

As previously discussed Joshi discloses fiber reinforced polyurethane, wherein combination of fibers may be included in the polyurethane depending on the desired performance of the final product (0045-0046). However, Joshi fails to disclose a method of producing laminates corresponding to claim 9.

Blenner teaches fiber reinforced polyurethane, wherein multiple layers of impregnated polyurethane resin may be stacked together and cured with heat and pressure causing the individual layers to stick thereby forming a laminate (Column 5, lines 18-34).

With this understanding, and the fact that Joshi teaches to have various types of fibrous material, one would be motivated to use the method of Blenner in Joshi since it allows the user to combine numerous layers of polyurethane – each having a different type of fibrous material - without having to impregnate all the various types of fibrous material at once (Joshi, 0045-0046, Fukami, Column 4, lines 54-58).

### ***Response to Arguments***

Applicant's arguments, see Arguments, filed 05/16/2011, with respect to the rejections based on U.S. Patent No. 5,071,613 to Fukami et al. have been fully considered and are persuasive. The rejections have been withdrawn.

Claim 4 requires a thermosetting matrix resin composition consisting of of bifunctional and trifunctional isocyanate and a bifunctional polyol consisting of low



molecular weight diols with molecular weights between 100 and 250. Fukami discloses a thermosetting matrix resin composition. Fukami discloses a list of multiple isocyanates including one that has both bi and tri functionalities. Fukami also discloses a list of multiple polyols including propylene glycol, and Fukami suggests more than one polyol may be used. However, there is no direction in Fukami to select from the lists the components required to form the composition of claim 1. Fukami does not require an isocyanate that is both bi and tri functional or provide any particular direction to select one in any of the examples. Fukami does not require the use of polypropylene glycol and does not provide any particular direction to select this polyol. Fukami does not require choosing a polyol to function as a bifunctional chain extender containing an active hydrogen group in combination with a bi- and tri-functional polyisocyanate component.

Applicant's arguments filed 05/16/2011 have been fully considered but they are not persuasive. The applicants' have failed to provide arguments over the prima facie case of obviousness rejection based on the Joshi reference in combination with Fukami and Herrington. The applicants' discussed a 102(b) rejection with regards to Joshi, however, the claims were never rejected under 102(b) using the Joshi reference.

Applicant should submit an argument under the heading "Remarks" pointing out disagreements with the examiner's contentions. Applicant must also discuss the references applied against the claims, explaining how the claims avoid the references or distinguish from them.

***Conclusion***

Any inquiry concerning this communication or earlier communications from the examiner should be directed to MICHAEL L. LEONARD whose telephone number is (571)270-7450. The examiner can normally be reached on Mon-Fri 7:00-4:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Milton Cano can be reached on 571-272-1398. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/MICHAEL L LEONARD/  
Examiner, Art Unit 1763

/MILTON I CANO/  
Supervisory Patent Examiner, Art Unit 1763